



Combi B 90

We make access in
life smart and secure.

Proven reliability, maximum flexibility and high end design



With significant extensions in functionality and ease of use, the model „Combi B 90“ leaves almost no wishes unfulfilled. The timeless, flat metal input is a perfect fit for each safe.

Our customers esteem the mechanical redundancy and it's guaranteed all time reliability with the well known double bit key system. The batteries are integrated into the flat input unit. In addition of that an optional power supply can be used to power it permanently.

A PC-software allows the reading of the lock memory as well as a comfortable programming.

Flexibility



Mounting examples
Horizontal (above)
Vertical (right)



Different colors
available

Functions

- 92 Codes
- Extended functions
- PC Software

Codes

- 1 master code
- 1 manager code
- 88/89 user codes
- 1 courier code

Code functions

- Dual mode
- ÖV / ÖBZ
- Code suspend function

Alarm

- Bolt switch
- With optional alarmbox:
- Silent alarm
 - Remote disabling

Audit function

- More than 970 events
- Time and date as option

PC Software

- Convenient programming
- Templates can be generated
- Auditing

Power supply

- Batteries in input unit (2x1,5V AAA)
- External power supply (option)
- Indirect power supply by alarm system (option)

Certifications

- ECBS
- IMP
- A2P
- EN 1300 grade B
- VdS grade 2

Flexibility

- One model, all mounting positions
- Optional boltwork handle
- Can be integrated into access control systems

The keypad and the knob of the input unit are designed to allow flexible mounting in all positions.

An optional bolt work handle is available fitting seamless in the modern design.

A suitable escutcheon in the same design can be added. Due to this modular system, a maximum flexibility is achieved for installation.

The Combi B 90 can be complemented or retrofitted with the optional VdS certified alarm box for the integration into alarm systems.

A connection at the existing access control elements, such as card or biometric reader, can be done with the separately controllable combi B lock unit and the required thumbturn adjustment module (Note: not certified).

Design

- High-end
- Elegant
- Modern

The timeless design of the previous input unit has been modernized carefully and thus represents a new interpretation in the most elegant manner.

The modern design concept of the input unit and the bolt grip underlines the significance and the stability of your storage unit.

Both the input unit and the bolt mechanism handle are available in the following surfaces:

- Matt chrome (standard)
- Shiny chrome
- Matt golden
- Shiny golden
- Powder-coated black
- Powder-coated white
- Other colours on request.



**Door
Hardware**



**Electronic
Access & Data**



**Mechanical
Key Systems**



Lodging Systems



**Entrance
Systems**



**Interior Glass
Systems**



Safe Locks



Service

dormakaba EAD GmbH

Werk SAL
Siemensstrasse 33
DE-42551 Velbert
T +49 2051 9111-0
orders.safelocks.de@dormakaba.com
www.dormakaba.de

dormakaba Schweiz AG

Mühlebühlstrasse 23
CH-8620 Wetzikon
T +41 44 931 6111
www.dormakaba.ch