

## PRODUCT



LA GARD  
701



Basic offerings

LA GARD  
702



Multi-user lock  
standard keypad

LA GARD  
703



Multi-user, 2-lock  
system, display

LA GARD  
704



Multi-user, 5-lock  
system, display

LA GARD  
705



Multi-user, 5-lock  
system, display

Features	*sold separately				
OLED Display Keypad	No	No	Yes	Yes	Yes
Compatible Lock Types	Swing / Dead / Spring Bolt	Swing / Dead / Spring Bolt	Swing / Dead / Spring Bolt	Swing / Dead / Spring Bolt	Swing / Dead / Spring Bolt
# of Users	1 Master / 1 Manager / 1 User	1 Master / 1 Manager / 28 Users	1 Master / 1 Manager / 28 Users	1 Master / 2 Managers / 47 Users	1 Master / 2 Managers / 97 Users
# of Locks	1	1	2	5	5
Dual User Mode	No	Yes	Yes	Yes	Yes
Dual User Mode Override	No	Yes	Yes	2 Users	2 Users
Reset Function	Yes	Yes	Yes	Yes	Yes
Time Delay	No	0-99 min	0-99 min	0-99 min	0-99 min
Confirmation Window	No	1-60 min	1-60 min	1-60 min	1-60 min
Time Delay Override (TDO)	No	Yes	Yes	Yes	Yes
TDO with BLE Key Fob	No	No	No	No	Yes
Programmable at Keypad	Yes	Yes	Yes	Yes	Yes
Programmable by PC	No	Yes	Yes	Yes	Yes
Audit Events	No	500	500	2000	6000
Viewable Audit Trail	No	No	Yes	Yes	Yes
Downloadable Audit Trail	No	Yes	Yes	Yes	Yes
Duress Alarm	No	Yes	Yes	Yes	Yes
Combination Length	11 (2id + 6-9)	11 (2id + 6-9)	11 (2id + 6-9)	11 (2id + 6-9)	11 (2id + 6-9)
Back Lit Keypad	No	Yes	Yes	Yes	Yes
Bolt Switch Option*	No	Yes	Yes	Yes	Yes
Wrong Try Penalty	Yes	Yes	Yes	Yes	Yes
Battery Power	2 x 9V	2 x 9V	2 x 9V	2 x 9V	2 x 9V
Low-Profile Option	No	Yes	Yes	Yes	Yes
AC Power Option*	Yes	Yes	Yes	Yes	Yes
VdS 2396 - Class 2	Yes	Yes	Yes	Yes	Yes
UL 2058 - UL Type 1	Yes	Yes	Yes	Yes	Yes
EN1300 - Level B	Yes	Yes	Yes	Yes	Yes
SBSC - 3880:2015	Yes	Yes	Yes	Yes	Yes
CNPP a2p - Level B / E	Yes	Yes	Yes	Yes	Yes
Time Lock Schedule	No	No	No	Yes	Yes
Dual Credential	No	No	No	No	No
Warranty	2yr from DoM	2yr from DoM	2yr from DoM	2yr from DoM	2yr from DoM
Extended Warranty*	Yes	Yes	Yes	Yes	Yes
Updatable Firmware	Yes	Yes	Yes	Yes	Yes

## PRODUCT

**dormakaba** 

Code Combi  
B30



Paxos  
IP



Cencon



Axessor  
IP



Axessor  
CIT



Axessor  
USB



Auditcon  
552



Auditcon  
252



Auditcon  
52




### Features

Keypad housing style	Square	Vertical	Vertical	Round	Round	Round	Round Vertical	Round Vertical	Round Vertical
Bolt style	Deadbolt	Motor bolt	Deadbolt	Motor bolt Spring bolt	Motor bolt Spring bolt	Motor bolt Spring bolt	Dead bolt Slide bolt	Dead bolt Slide bolt	Dead bolt Slide bolt
Access users	30	97	Unlimited OTC. Bank mode 100	36	18 or unlimited OTC	18	99	20	2
Combination length	8	8/10	6	8	8	8	8	8	6
Uploadable programming	Yes	Yes/networked	Yes/software, lock or key	Yes/networked	Yes software	Yes software	Yes software	Yes software	No
Power Source	Battery / Mains	Battery / Mains	Self powered	Battery / Mains	Battery / Mains	Battery / Mains	Self powered	Self powered	Self powered
Supermaster Reset	Key	No	N/A	No	No	No	Yes	Yes	Yes
Master Code	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Wrong try lockout	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Supervisor / Subordinate mode	No	Yes	No	Yes	Yes / mixed mode	Yes	Yes	Yes	Yes
Single / dual custody mode	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Time Delay	1-99 min delay	1-99 min delay	1-99 min delay	1-99 min delay	1-99 min delay	1-99 min delay	1-99 min delay	1-99 min delay	1-99 min delay
	1-19 min opening window	1-20 min opening window	1-20 min opening window	1-20 min opening window	1-20 min opening window	1-20 min opening window	1-20 min opening window	1-20 min opening window	1-20 min opening window
Time delay override	Optional	Yes	No	Yes courier code	Yes courier code	Yes courier code	No	No	No
Time delay display	No	Yes	No	Yes	Yes	Yes	No	No	No
Time & Date	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
Remote Disabling	Yes	Yes	Yes	Yes through alarm or LAN	Yes through alarm or LAN	Yes through alarm	No	No	No
Weekly locking periods	No	Yes	No	Yes	Yes	Yes	Yes	No	No
Yearly locking periods	No	Yes	Yes	Yes	Yes	Yes	No	No	No

### Approvals / Certification

EN1300	B	B,C,D	B	B	B	B	B	B	B
VdS Classes	2	2,3,4	2	2	2	2	2	2	2
UL	Type 1	Type 1	Type 1	Type 1	Type 1	Type 1	Type 1	Type 1	Type 1

## PRODUCT



Features						
Levers	14	9	11	8	11	8
High Strength Brass Foldable	130-360mm	n/a	130-360mm	130-360mm	130-360mm	130-360mm
High Strength Brass Detachable	130-360mm	n/a	120-360mm	120-360mm	120-360mm	120-360mm
High Strength Brass Double bitted keys	130-360mm	80-360mm	80-360mm	80-360mm	80-360mm	150-360mm
Brass foldable keys	n/a	n/a	n/a	n/a	n/a	n/a
Brass detachable keys	n/a	n/a	n/a	n/a	n/a	n/a
Diecast Foldable key	n/a	n/a	90, 120, 150, 164mm	120, 150, 164mm	90, 120, 150, 164mm	65, 90, 120, 150, 164mm
Diecast Detachable key	n/a	n/a	120-360mm	120-360mm	120-360mm	120-360mm
Diecast double bitted key	n/a	90, 120, 150, 164mm	120, 150, 164mm	90,120, 150, 164mm	120, 150, 164mm	65, 90, 120, 150, 164mm
Steel Detachable	n/a	120-360mm	n/a	n/a	n/a	n/a
Approvals / Certification						
EN1300	C	B	B	A	B	A
VdS Classes	3	2	2	1	2	1